

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	8	(micro adj mechanical) and (structure or device)and (amorphous near material)	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 14:12		
2	BRS	1	(micro adj mechanical) and (structure or device)and (metallic near glass)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/28 11:38		
3	BRS	182	(micro adj mechanical) and (structure or device)and glass	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:30		
4	BRS	2	(micro adj mechanical) and (structure or device)and (glass near beam)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/28 11:42		
5	BRS	174	438/52.ccls.	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:30		
6	BRS	29	438/52.ccls. and amorphous	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:49		
7	BRS	3	438/52.ccls. and amorphous and deform\$4	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:53		Truncation Overflow. Return string from Server is: 5`158190`
8	BRS	3	438/52.ccls. and amorphous and deform\$4 and heat\$	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:53		
9	IS&R	1	("5994159").PN.	USPAT	2001/02/23 14:11		
10	BRS	8	(micro adj mechanical) and (structure or device)and (amorphous near material)	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 14:14		
11	BRS	4	((micro adj mechanical) and (structure or device)and (amorphous near material)) and conduct\$	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 14:37		Truncation Overflow. Return string from Server is: 5`0`0`CON
12	BRS	2	ep-762176-\$.did.	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 14:21		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
13	BRS	2	((amorphous near metal) or (met adj glass) or (metallic near glass) or (noncrystalline near metal)) and (micro near mechanical)	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 14:54		
14	BRS	1050	((amorphous near metal) or (met adj glass) or (metallic near glass) or (noncrystalline near metal)) and (thin near film)	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 14:59		
15	BRS	50	((amorphous near metal) or (met adj glass) or (metallic near glass) or (noncrystalline near metal)) and (thin near film near (structure or device))	USPAT; EPO; JPO; Derwent; IBM TDB	2001/02/23 15:05		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	8	(micro adj mechanical) and (structure or device)and (amorphous near material)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/28 11:33		
2	BRS	1	(micro adj mechanical) and (structure or device)and (metallic near glass)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/28 11:38		
3	BRS	182	(micro adj mechanical) and (structure or device)and glass	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:30		
4	BRS	2	(micro adj mechanical) and (structure or device)and (glass near beam)	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/28 11:42		
5	BRS	174	438/52.ccls.	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:30		
6	BRS	29	438/52.ccls. and amorphous	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:49		
7	BRS	3	438/52.ccls. and amorphous and deform\$4	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:53		
8	BRS	3	438/52.ccls. and amorphous and deform\$4 and heat\$	USPAT; EPO; JPO; Derwent; IBM TDB	2000/11/29 11:53		Truncation Overflow. Return string from Server is: 5`158190`

*Amorphous
heat \$ and cool \$
deform \$*